

AFCTN Report 94-081

AFCTB-ID 94-039



Technical Raster Transfer Using:

Industrial Data Link's GOLFPORT



Project, Supporting:

ASC/YIEC And OO-ALC/PKDTM

(Contract #F0862-92-C-0012)



MIL-STD-1840A

MIL-R-28002A (Raster)



Quick Short Test Report

09 May 1994

DISTRIBUTION STRINGENT R
Approved for public released
Distribution Unlimited

19960822 111



Prepared for Electronic Systems Center Air Force CALS Program Office HQ ESC/AV-2 4027 Colonel Glenn Hwy Suite 300 Dayton OH 45431-1672

DTIC QUALITY INSPECTED 3

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

Technical Raster Transfer

Using:

Industrial Data Link's:

GOLFPORT Project Supporting:

ASC/YIEC And OO-ALC/PKDTM

(Contract #F0862-92-C-0012)

MIL-STD-1840A MIL-R-28002A (Raster)

Quick Short Test Report

09 May 1994

Prepared By

Air Force CALS Test Bed Wright-Patterson AFB, OH 45433

DTIC QUALITY INSPECTED 3

AFCTB Contact

Gary Lammers (513) 427-2295

AFCTN Contact

Mel Lammers (513) 427-2295

DISCLAIMER

This document was prepared as an account of the work sponsored by the Air Force. Neither the United States Government, the Air Force, nor any of their employees makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, nor represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Air Force. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the Air Force, and shall not be used for advertising or product endorsement purposes.

Available to the public from the National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the Air Force CALS Test Network (AFCTN).

Air Force CALS Test Bed

Notification of Test Results

09 May 1994

This notice documents the results of an Air Force CALS Test Bed (AFCTB) Quick Short Test Report (QSTR) evaluation of data submitted by:

Industrial Data Link

Identified as follows:

Title:

Technical Raster Transfer

Program:

GOLFPORT

Program Office:

ASC/YIEC and OO-ALC/PKDTM

Contract No.:

F0862-92-C-0012

QSTRNo.:

AFCTB-ID 94-039

Received on the following media:

9-Track Tape

The results of the QSTR evaluation are as follows:

MIL-STD-1840A Standard

Pass

MIL-STD-1840A Media Format:

Pass

MIL-D-28000A IGES:

N/A

MIL-M-28001A SGML:

N/A

MIL-R-28002A Raster:

Pass

MIL-D-28003 CGM:

N/A

Formal results with associated disclaimer are documented and available from the AFCTB.

Air Force CALS Test Bed HQ ESC/AV-2P 4027 Colonel Glenn Highway, Suite 300 Dayton, OH 45431-1672

Phone: 513-257-3085

FAX: 513-257-5881

Contents

1.	Intro	$ ext{duction}1$				
	1.1.	Background1				
	1.2.	Purpose2				
2.	Test :	Parameters3				
3.	1840A	Analysis5				
	3.1.	External Packaging5				
	3.2.	Transmission Envelope5				
		3.2.1. Tape Formats5				
		3.2.2. Declaration and Header Fields5				
4.	IGES .	Analysis6				
5.	SGML	Analysis6				
6.	Raster Analysis6					
7.	CGM Analysis7					
8.	Conclusions and Recommendations8					
9.	Appen	dix A - Tapetool Report Logs9				
	9.1.	Tape Catalog9				
	9.2.	Tape Evaluation Log10				
	9.3.	Tape File Set Validation Log11				
	9.4	Other Tape Reading Logs				

10.	Append	dix B - Detailed Raster Analysis17
	10.1.	File D001R00117
		10.1.1. Output CADLeaf17
		10.1.2. Output HiJaak Pro18
		10.1.3. Output IGESView19
		10.1.4. Output RxHighlight20
	10.2.	Detail File D002R00421
	10.3.	Detail File D003R00322

1. Introduction

1.1 Background

The Department of Defense (DoD) Air Force Continuous Acquisition and Life-cycle Support (CALS) Test Network (AFCTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The AFCTN is a DoD sponsored confederation of voluntary participants from industry and government managed by the Electronic Systems Center (ESC).

The primary objective of the AFCTN is to evaluate the effectiveness of the CALS standards for technical data interchange and to demonstrate the technical capabilities and operational suitability of those standards. Two general categories of tests are performed to evaluate the standards; formal and informal.

Formal tests are large and comprehensive, which follow a written test plan, require specific authorization from the DoD, and may take months to prepare, execute, and report.

Informal tests are quick and short, used by the AFCTN technical staff, to broaden the testing base. They include representative samples of the many systems and applications used by AFCTN participants. They also allow the AFCTN staff to gain feedback from many industry and government interpretations of the standards, to increase the base of participation in the CALS initiative, and respond to the many requests for help that come from participants. Participants take part voluntarily, benefit by receiving an evaluation of their latest implementation (interpretation) of the standards, interact with the AFCTN technical staff, gain experience using the standards, and develop increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

1.2 Purpose

The purpose of the informal test, reported in this QSTR, was to analyze Industrial Data Link's interpretation and use of the CALS standards in transferring technical Raster data. Industrial Data Link used its CALS Technical Data Interchange System to produce data, in accordance with the standards, and delivered it to the AFCTN technical staff on a 9-track magnetic tape.

2. Test Parameters

Test Plan:

AFCTB 94-039

Date of

Evaluation:

9 May 1994

Evaluator:

George Elwood

Air Force CALS Test Bed DET 2 HQ ESC/AV-2P 4027 Colonel Glenn Hwy

Suite 300

Dayton OH 45431-1672

Data

Originator:

Debbie Glasser

Industrial Data Link
P. O. Box 900368
San Diego CA 92190
(619) 537-2960

Data

Description:

Technical Manual Test

3 Document Declaration files

19 Raster files

Data

Source System:

1840

HARDWARE

VAX 3600

SOFTWARE

AFCTN Tapetool

AUTODESK AutoCAD R 12C2

Raster

HARDWARE

PC 486-33

SOFTWARE

Inset System HiJaak v2.0

AFCTN validg4

Evaluation Tools Used:

MIL-STD-1840A (TAPE)

SUN 3/280

AFCTN Tapetool v1.2.10 UNIX XSoft CAPS/CALS v40.4

MIL-R-28002 (Raster)

HP 735

AFCTN xrastb.hp
InterCAP X-Change v7.82

SGI Indigo2

AFCTN xrastb.sgi

IGES Data Analysis (IDA) CALSView

SUN SparcStation 2

ArborText g42tiff

Carberry CADLeaf Plus v3.1

AFCTN validg4

AFCTN xrastb.sun4

IDA IGESView v3.0

PC 486

Inset Systems HiJaak Pro
Expert Graphics RxHighlight v1.0

Standards Tested:

MIL-STD-1840A MIL-R-28002A

3. 1840A Analysis

3.1 External Packaging

The tape arrived at the Air Force CALS Test Bed (AFCTB) enclosed in a box in accordance with ASTM D 3951. The exterior of the box was marked with a magnetic tape warning label, as required by MIL-STD-1840A, para. 5.3.1.3.

The tape was not enclosed in a barrier bag or barrier sheet material, as required by MIL-STD-1840A, para. 5.3.1.2. Inspection of the tape reel showed the label indicating the recording density, as required by MIL-STD-1840A, para. 5.3.1. Enclosed in the box was a packing list showing all files recorded on the tape.

3.2 Transmission Envelope

The 9-track tape received by the AFCTB contained MIL-STD-1840A files. The files were named per the standard conventions.

3.2.1 Tape Formats

The tape was run through the AFCTN Tapetool v1.2.10 utility. No errors were encountered while evaluating the contents of the tape labels.

The tape was read using XSoft's CAPS read1840A utility without any reported errors.

The physical structure of the tape meets the CALS MIL-STD-1840A and ANSI x3.27 requirements.

3.2.2 Declaration and Header Fields

No errors were found in the Document Declaration file and data file headers. This portion of the tape meets the requirements defined in MIL-STD-1840A for CALS format.

4. IGES Analysis

No Initial Graphics Exchange Specification (IGES) files were included in this evaluation.

5. SGML Analysis

No Standard Generalized Markup Language (SGML) files were include in this evaluation.

6. Raster Analysis

The tape contained 19 Raster files. All files were evaluated using the AFCTN validg4 utility. This program reported all 19 files meet the CALS MIL-R-28002A specification.

The files were read into the AFCTN xrastb.sun4 viewing utility. No problems were noted, however, many of the files were unusable. The text displayed as dots with definitions. Some graphics were impossible to read.

The AFCTB has several tools for viewing Raster files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. Many of these products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor an indication of CALS capability. All operations were performed using the default settings.

All files were viewed using the software applications shown below. While no problems were encountered during the viewing operation, the quality of files D001R001, R002, R004, R005, D002R003, R004, R005, R006, and D003R003 were judged to be unacceptable. All of the listed files had text or graphics that were unreadable. Samples of the files are included in Appendix B, Section 10 of this report.

The Raster files were read into Carberry's *CADLeaf* software without a reported error. The images were displayed and printed.

The files were read using IDA's CALSView without a reported error.

The files were read into IDA's IGESView and IGESView for Windows without a reported error.

The files were read into Inset Systems' HiJaak for Windows without a reported error.

The files were read using InterCAP's X-Change without a reported error.

The Raster files were imported into Expert Graphics' Rx-Highlight and displayed without a reported error.

While the Raster files meet the CALS MIL-R-28002A specification, the overall quality was not acceptable. Many of the images had areas which appear to be text but are not readable.

7. CGM Analysis

No Computer Graphics Metafile (CGM) files were included in this evaluation.

8. Conclusions and Recommendations

The tape from Industrial Data Link was correct. No errors were reported in the physical structure or CALS headers. The tape meets the requirements defined in CALS MIL-STD-1840A and ANSI x3.27.

All Raster files meet the CALS MIL-R-28002A specification. However, the quality of the images in many cases was unacceptable.

The tape submitted by Industrial Data Link meets the CALS MIL-STD-1840A requirements.

9. Appendix A - Tapetool Report Logs

9.1 Tape Catalog

CALS Test Network Catalog Evaluation - Version 1.2; Release 10 (C)

Standards referenced:

MIL-STD-1840A (1987) - Automated Interchange of Technical Information ANSI X3.27 (1987) - File Structure and labeling of Magnetic Tapes for Information Interchange

ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Mon May 9 11:00:07 1994

MIL-STD-1840A File Catalog

File Set Directory: /cals/u1210/Set068

Page: 1

File Name	File Type	Record Format/ Length	Block Length/Total	Selected/ Extracted
D001 D002 D003 D001R001 D001R002 D001R003	Document Declaration Document Declaration Document Declaration Raster Raster Raster	D/00260 D/00260 F/00128 F/00128	02048/000001 02048/000001 02048/000001 02048/000019 02048/000009 02048/000006	Extracted Extracted Extracted Extracted Extracted Extracted
	<<<< PART OF LOG FIL	LE REMOVE	D HERE >>>>	
D003R003 D003R004	Raster Raster	•	02048/000011 02048/000008	Extracted Extracted

Catalog Process terminated normally.

9.2 Tape Evaluation Log

CALS Test Network Tape Evaluation - Version 1.2; Release 10 (C)
Standards referenced:
ANSI X3.27 (1987) - File Structure and labeling of Magnetic Tapes
for Information Interchange
ANSI X3.4 (1986) - Coded Character Sets - 7 Bit ASCII

Mon May 9 10:59:53 1994

ANSI Tape Import Log

Allocating tape drive /dev/rmt0...

/dev/rmt0 allocated.

VOL1CALS01

Label Identifier: VOL1 Volume Identifier: CALS01 Volume Accessibility: Owner Identifier:

Label Standard Version: 4

HDR1D001

CALS0100010001000000 94125 00000 000000

<<<< PART OF LOG FILE REMOVED HERE >>>>

Tape Import Process terminated normally.

9.3 Tape File Set Validation Log

CALS Test Network File Set Evaluation - Version 1.2; Release 10 (C) Standards referenced: MIL-STD-1840A (1987) - Automated Interchange of Technical Information Mon May 9 11:00:07 1994 MIL-STD-1840A File Set Evaluation Log File Set: Set068 Found file: D001 Extracting Document Declaration Header Records... Evaluating Document Declaration Header Records... srcsys: Industrial Data Link Corp. 10060 Willow Creek Rd. San Diego, CA 92131 FSCM 4P410 srcdocid: GA0005 srcrelid: NONE chglvl: ORIGINAL dteisu: 19940505 dstsys: ME dstdocid: GA0005 dstrelid: NONE dtetrn: 19940505 dlvacc: CDRL A003 filcnt: R5 ttlcls: UNCLASSIFIED doccls: UNCLASSIFIED doctyp: PARTS LIST / ASSEMBLY DRAWING docttl: Measurement & Debriefing System, Gulfport ACMI Found file: D001R001 Extracting Raster Header Records... Evaluating Raster Header Records... srcdocid: GA0005 dstdocid: NONE txtfilid: NONE figid: NONE srcgph: NONE doccls: NONE rtype: 1

rorient: 000,270

rdensty: 0300 notes: DRAWING

rpelcnt: 001500,001157

Saving Raster Header File: D001R001_HDR Saving Raster Data File: D001R001_GR4

<<<<< PART OF LOG FILE REMOVED HERE >>>>

Evaluating numbering scheme...

No errors were encountered during numbering scheme evaluation.

Numbering scheme evaluation complete.

Checking file count...

No errors were encountered during file count verification.

File Count verification complete.

No errors were encountered in Document D001.

Found file: D002

Extracting Document Declaration Header Records...
Evaluating Document Declaration Header Records...

srcsys: Industrial Data Link Corp. 10060 Willow Creek Rd. San Diego, CA

92131 FSCM 4P410 srcdocid: GA0008 srcrelid: NONE chglvl: ORIGINAL dteisu: 19940505

dstsys: ME

dstdocid: GA0008 dstrelid: NONE dtetrn: 19940505 dlvacc: CDRL A003

filcnt: R9

ttlcls: UNCLASSIFIED doccls: UNCLASSIFIED

doctyp: ASSEMBLY DRAWING / PARTS LIST

docttl: Remote Site, NR6, Wiggins GNR ACMI

Found file: D002R001

Extracting Raster Header Records...
Evaluating Raster Header Records...

srcdocid: GA0008 dstdocid: NONE txtfilid: NONE figid: NONE srcgph: NONE doccls: NONE

rtype: 1

rorient: 000,270

rpelcnt: 001500,001159

rdensty: 0300

notes: PARTS LIST SHEET 1

<<<< PART OF LOG FILE REMOVED HERE >>>>

Evaluating numbering scheme...

No errors were encountered during numbering scheme evaluation.

Numbering scheme evaluation complete.

Checking file count...

No errors were encountered during file count verification.

File Count verification complete.

No errors were encountered in Document D002.

Found file: D003 Extracting Document Declaration Header Records...

Evaluating Document Declaration Header Records...

srcsys: Industrial Data Link Corp. 10060 Willow Creek Rd. San Diego, CA

92131 FSCM 4P410 srcdocid: GA0009 srcrelid: NONE chglvl: ORIGINAL dteisu: 19940505

dstsys: ME

dstdocid: GA0009 dstrelid: NONE dtetrn: 19940505 dlvacc: CDRL A003

filcnt: R4

ttlcls: UNCLASSIFIED doccls: UNCLASSIFIED

doctyp: ASSEMBLY DRAWING / PARTS LIST

docttl: Panel, Power Distribution

Found file: D003R001

Extracting Raster Header Records...
Evaluating Raster Header Records...

srcdocid: GA0009 dstdocid: NONE txtfilid: NONE figid: NONE srcgph: NONE doccls: NONE rtype: 1

rorient: 000,270

rpelcnt: 001500,001159

rdensty: 0300

notes: PARTS LIST SHEET 1

<><< PART OF LOG FILE REMOVED HERE >>>>

Evaluating numbering scheme...

No errors were encountered during numbering scheme evaluation.

Numbering scheme evaluation complete.

Checking file count...

No errors were encountered during file count verification.

File Count verification complete.

No errors were encountered in Document D003.

No errors were encountered in this File Set.

MIL-STD-1840A File Set Evaluation Complete.

9.4 Other Tape Reading Logs


```
/cals/caps/Bin/read1840A: --- Read declaration file 'D001
/cals/caps/Bin/read1840A: --- Read declaration file 'D002
/cals/caps/Bin/read1840A: --- Read declaration file 'D003
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0005/GA00051.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0005/GA00052.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0005/GA00053.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0005/GA00054.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0005/GA00055.R.cci'.
-- declaration file indicates 0 files of type T
-- declaration file indicates 0 files of type G
-- declaration file indicates 0 files of type H
-- declaration file indicates 0 files of type Q
-- declaration file indicates 5 files of type R
-- declaration file indicates 0 files of type C
-- declaration file indicates 0 files of type X
-- declaration file indicates 0 files of type P
-- declaration file indicates 0 files of type Z
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0008/GA00081.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0008/GA00082.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0008/GA00083.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0008/GA00084.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0008/GA00085.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0008/GA00086.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0008/GA00087.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0008/GA00088.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0008/GA00089.R.cci'.
-- declaration file indicates 0 files of type T
-- declaration file indicates 0 files of type G
-- declaration file indicates 0 files of type H
-- declaration file indicates 0 files of type Q
-- declaration file indicates 9 files of type R
-- declaration file indicates 0 files of type C
-- declaration file indicates 0 files of type X
-- declaration file indicates 0 files of type P
-- declaration file indicates 0 files of type Z
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0009/GA00091.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0009/GA00092.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0009/GA00093.R.cci'.
/cals/caps/Bin/read1840A: writing data file 'aftb9439/GA0009/GA00094.R.cci'.
```

```
-- declaration file indicates 0 files of type T
-- declaration file indicates 0 files of type G
-- declaration file indicates 0 files of type H
-- declaration file indicates 0 files of type Q
-- declaration file indicates 4 files of type R
-- declaration file indicates 0 files of type C
-- declaration file indicates 0 files of type X
-- declaration file indicates 0 files of type P
-- declaration file indicates 0 files of type Z
```


10. Appendix B - Detailed Raster Analysis

10.1 File D001R001


10.1.1 Output CADLeaf




10.1.2 Output HiJaak Pro



10.1.3 Output IGESView



10.1.4 Output RxHighlight



10.2 Detail File D002R004

heir contractors, edicitateration or operational use, 23 Aug. 1990. Systems Division, High AFR, Pt. 83363-5000.


respond his restricted by the Arms Emport Control Act (1986 SR 1986, Sec 200) pt Begins CO 1986, App 2001 BR Begin Middlens of these export laws are subject to severe whistons of 1000 Dir 1980(3).

) presedures in DOD (555255-11. industrial Beautily Librori, section 18—10 or DOD (57031-12. ? Stry institut that will present displayure of contents or reconstruction of the document.

7

6

10.3 Detail File D003R003



CLARITY

